

Home & Garden

CHELATED CITRUS

NUTRITIONAL SPRAY

FOR USE ON CITRUS, AVOCADOS,
MANGOS AND OTHER TROPICAL FRUITS.

Use 1 Tablespoonful per Gallon of Spray

F 672-806

SA-50 Brand Chelated Citrus Nutritional Spray is blended to provide the minor elements most needed by Florida Citrus, Avocados and Mangos. It is liquid, therefore, easy to use and chelated which makes the nutrients readily available to the plants.

SA-50 Brand Chelated Citrus Nutritional Spray is most effective when applied in December, January or February or up to the time flowering is completed. It may be used at other times when deficiency symptoms appear but slight surface damage to fruit may occur. For prevention of deficiencies, use 1 tablespoonful per gallon of water. One application per year is normally sufficient. For correction of a known deficiency, use 2 tablespoons per gallon of water and make at least 2 applications at two week intervals. Apply spray in a manner that will provide thorough coverage to the point of run-off. On mature trees, the amount of spray required is approximately 1 gallon for each foot of height plus 5 gallons. A 20 foot tree would require 25 gallon of spray.



GUARANTEED ANALYSIS:	BY WT.
Total Magnesium as Mg	1.00%
Water Soluble Magnesium as Mg	1.00%
Chelated Magnesium as Mg	0.70%
Soluble Iron as Fe	1.20%
Chelated Iron as Fe	0.70%
Soluble Manganese as Mn	1.20%
Chelated Manganese as Mn	1.00%
Soluble Zinc as Zn	1.70%
Chelated as as Zn	1.50%
Combined Sulfur as S	4.10%

Derived from: Magnesium Sulfate, Magnesium Lignin Sulfate Chelate, Manganese Sulfate, Manganese Lignin Sulfate Chelate, Zinc Sulfate, Zinc Lignin Sulfate Chelate, Ferrous Sulfate, Ferrous Lignin Sulfate Chelate. Chelating agent is Lignin Sulfate.

Guaranteed by: Southern Agricultural Insecticides, Inc. P.O. Box 218 Palmetto, FL 34220

USE PRECAUTIONS

THIS PRODUCT WILL SEVERELY STAIN CONCRETE, MASONRY AND PAINTED SURFACES. Be extremely careful not to allow spray or runoff to contact with these materials. Do not mix with other fertilizers, fungicides or insecticides unless compatibility is known.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Avoid contact with skin and eyes.

Avoid breathing spray mist. Do not take internally.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 2 glasses of water or milk and seek medical attention.

IF IN EYES: Flush eyes thoroughly with a large volume of water. If irritation persists seek medical attention.

IF ON SKIN: Rinse affected area with clear water and then wash thoroughly with soap and water.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions and precautions given herewith.

Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220

Hendersonville, NC 28793

Boone, NC 28607

revised 1998