

*Home & Garden*

# SULFATE OF POTASH

**STRENGTHENS THE PLANT MAKING IT  
LESS SUSCEPTIBLE TO DISEASE AND  
ADVERSE CONDITIONS.**

**KEEP OUT OF REACH OF CHILDREN**

## **CAUTION**

**May be harmful if swallowed.  
Avoid contact with eyes and skin.**

**GUARANTEED ANALYSIS:**

Soluble Potash ( $K_2O$ ).....50%

Derived from: Sulfate of Potash

Chlorine (Cl) less than 2.00%

**GUARANTEED BY:**

Southern Agricultural Insecticides, Inc.

P.O. Box 218 Palmetto, FL 34220

F672

## **DIRECTIONS FOR USE**

**LAWNS: If used with other fertilizers:** Apply in the Spring and again in the early Fall at a rate of 1 pound per 1,000 sq. ft.

**If used as the sole fertilizer nutrient:** Apply in the Spring and again in the early Fall at a rate of 4 pounds per 1,000 sq. ft.

Water in thoroughly after application.

**TREES, SHRUBS AND FLOWERING PLANTS:** Apply in the Spring and again in the Fall. For trees, apply evenly around the drip line at a rate of 1/2 lb. for each inch of trunk diameter. For shrubs and flowering plants, mix lightly into the soil at a rate of 1/4 cup per every 2 ft. of plant height. Water in thoroughly after application.

**BEDDING PLANTS: Before planting:** Apply at a rate of 1 lb. per 250 sq. ft. and thoroughly mix into soil. Plant and then water in thoroughly.

**Established Plants:** Apply at a rate of 1 lb. per 500 sq. ft. Be sure to wash any material off plants and then work lightly into the soil. Water in thoroughly after application.

**Southern Agricultural Insecticides, Inc.**

Palmetto, FL 34220

Hendersonville, NC 28793

Boone, NC 28607

revised 1998